

Lloyd & Bouvier

New / Used / Rebuilt Wire & Cable Machinery

Planetary / Rigid Cablers

- 1 Allard 6 bay 14" reels with concentric tapehead
- 8 United States Machinery 6 bay 6" reels, under braider or stand alone
- 2 United States Machinery 4 bay for 10" reels on braider frames or stand alone
- 1 Trafalgar 12 bay for 10" reels
- 1 Custom 32 bay for 6" reels
- 1 Custom 18 bay for 10" reels
- 1 Edmands 18 + 18 for 10" diameter reels, 2 tapeheads, 30" catapulter
- 1 United States machinery 12 + 1 for 16" reels with tapehead and binder
- 1 Ceeco 12 + 18 for 630 din reels, new 1999

- 1 M & M Rigid bay 4+ 1 for 36" diameter reels

Single Twist Cablers

- 2 Cook BH-16 single twist cablers
- 5 Cook BH-22 set up for insulated wire
- 6 Cook BH-24, bare wire and insulated wire machines
- 1 CFL 24" rotating flyer, 600 twist per minute
- 1 Cook R-8, complete with overhead hoist
- 3 WMC 30" cablers, 14" and 16" traverses, some with tapeheads
- 1 Entwistle 30" single twist, 500 rpm with concentric tapehead
- 1 Thermoplastic Engineering 30" single twist 800 rpm with concentric tapehead
- 2 NEWMCO 36" single twist cabler
- 1 Cook 36" R-8 single twist with binder head
- 1 Edmands 48" single twist, reels, hoist, binder head

Tubular Standers

- 26 Bartell B-62 7 bay for 6" bobbins
- 2 Bartell B-62 12 bay for 6" bobbins
- 1 Cortinovis 3 + 1 for 850 mm bobbins, with tapehead and 1600 mm take-up

Contact: Brian Bouvier Mike McKee Carter Lloyd

Ensuring Quality

Building Relationships

Neutralizers

- 2 Entwistle six position 24" diameter reel
- 1 Entwistle 30" single reel

Double Twist Cablers

- 6 Kinrie 560 double twist, some for insulated wire
- 3 TEC 24" double twist cablers with four position 24" payoffs**
- 2 Eastern 16" outside in, change gear lay control
- 3 Eastern 16" inside out with torque motor tension on payoffs
- 1 Edmands 20" outside in
- 2 Ceeco 20", outside in with dual station powered payoffs
- 4 Edmands 24", change gear lay control
- 1 De'Angelli 24" double twist with two powered payoffs
- 5 Bartell 24" double twist, outside in, can be set up for insulated wire
- 1 New England CFL 30" double twist cabler
- 1 Allard 36" double twist cabler, 0- 600 rpm, electronic lay control
- 1 Entwistle Quadder, 24" reels with tapehead

Extruders

$\frac{3}{4}$ " Braebender with cooling trough and pelletizer

- 6 Thermoplastic Engineering 1 $\frac{1}{4}$ " 24", excellent condition

TEC 1 $\frac{1}{4}$ " vertical extruder on casted base

Davis Standard 1 $\frac{1}{2}$ " 20:1 one with crosshead

- 2 Olympia 1 $\frac{1}{2}$ " 24:1 extruder
- 1 Prodex 1 $\frac{1}{2}$ " 20:1 extruder
- 1 Davis Standard 2" 24:1 extruder
- 1 Davis Standard 2" 28:1 extruder
- 1 Davis Standard 2" 20:1 extruder
- 1 Jennings 2 $\frac{1}{2}$ " X 54" ram extruder
- 1 Sterling 2 $\frac{1}{2}$ " 24:1, complete line with Davis electric 30" belt wrap capstan
- 1 Entwistle 2 $\frac{1}{2}$ " 30:1 Thermoflite extruder
- 1 Davis Standard 2 $\frac{1}{2}$ " 20:1 extruder
- 2 Davis Standard 2 $\frac{1}{2}$ " 24:1 vertical
- 3 Davis Standard 3 $\frac{1}{2}$ " 24:1, 75 HP Reliance drive, Beta diameter controller on one
- 1 Sterling 3 $\frac{1}{2}$ " 24:1 extruder
- 1 NRM 4 $\frac{1}{2}$ " 20:1 extruder

**NEW, used, and Recondition Wire -- Cable -- Plastic---
Equipment**

Belt Wrap Capstans

- 2 **Entwistle 12" belt wrap capstan, both line directions available**
- 1 Sterling Davis 20" belt wrap, right to left, 4 speed, 5 HP
- 1 Royle 20" belt wrap, right to left, 4 speed, 3 HP
- 2 Davis Standard 24" belt wrap capstan, right to left, 4 speed, 5 HP
- 1 Royle 20" horizontal belt wrap with 3 HP Reliance motor
- 3 Davis Electric 30" belt wrap capstan, 4 speeds, 5 HP motors
- 1 Royle 24" belt wrap capstan left to right with 4 speed and 3 HP
- 1 Viteck 24" belt wrap capstan, left to right with 4 speed and 5 HP motor
- 1 Thermoplastic Engineering 30" belt wrap with 2 HP
- 2 Royle 36" belt wrap capstan, 1 each line direction, 5 HP motors
- 2 Royle 48" belt wrap capstans, one each line direction, 4 speeds

Catapuller Capstans

- 1 **Custom 10" catapuller**
- 2 Boston Matthews 24" catapullers, both line directions
- 1 Davis Standard 24" catapuller, right to left, 3 HP, 4 speed
- 1 New England CFL 36" catapuller, left to right, 4 speed, 5 HP
- 1 Sterling Davis 36" catapuller, left to right
- 2 Davis Electric 48" catapuller
- 1 Boston Mathews 48" catapuller, right to left, 3 HP and 2 speed
- 2 Bartell 60" catapuller, both line directions
- 1 Entwistle 72" catapuller, left to right
- 1 Ceeco 72" catapuller, left to right
- 1 Davis Standard 84" catapuller, right to left

Tape Heads

- 7 **United States Machinery single head wrapper with 18" capstan**
- 2 **United States Machinery dual head wrapper with 10" capstans**
- 1 United States Machinery triple head wrapper with 24" capstan, 36" take-up
- 2 Ferro Techniques dual tangential tapers
- 1 Ferro Techniques 18" concentric taper, heavy tape tension control
- 3 Entwistle 18" concentric tapers, some with motors, some with PIV's, 2" through
- 1 Edmunds 18" concentric with 2 3/4" bore
- 1 Webster Machine eccentric tapehead, 1 1/2" bore
- 1 Edmands two head eccentric
- 2 **Entwistle eccentric tapeheads, 1 1/2" though bore, 3 HP Reliance motor**
- 5 Lloyd & Bouvier tapeheads for taping on braiders, over or under braid

Binder Heads / Oscillators

- 1 Cook high speed binder with 1 ½" through bore
- 1 Western Electric Oscillator with dual binder / 4 lay plates
- 2 Entwistle concentric binder heads with PIV speed control, 2 ¾" through bore

Cone Flyer Payoffs / Accessories

- 3 **Clipper 24" high speed conical dual cone flyer payoff, motorized rings**
- 2 Entwistle dual cone flyer payoffs, 24", 30", 48" diameter, new
- 1 Entwistle 36" dual cone flyer payoff
- 2 Entwistle 30" single cone flyer payoffs
- 6 Clipper reel lift trucks, 4 new
- 3 Clipper three wheel Hysterisus tensioners, 4" diameter wheels, 2 new
- 4 Clipper heavy duty belt style tensioner 10" diameter wheel, 1 new

Shaft Payoffs

- 2 **Davis Electric 24" powered payoffs with 3' pneumatic dancer**
 - 1 Entwistle 4 station 30" reel with torque motor tension control
 - 3 Davis Electric 30" A frame payoff with tensioning arm
 - 2 NEWMCO 30" powered payoff with pneumatic dancer
 - 1 Thermoplastic Engineering, 30" reel, dual reel, 5 HP
 - 5 Huestis 16/36" roll in payoffs, 2 are new
 - 1 Huestis 24/48" roll in payoff
 - 5 Davis Standard 16/36" with pneumatic reel lift and tensioning arm
 - 1 Wemco 72" payoff, portable on wheels
 - 1 Ceeco 26 station, 20" diameter reels with catenary arm tension control

Shaftless Payoffs

- 2 **Cecco 20" dual station powered with catenary arm tension control**
- 6 **Davis Electric 16/36", pneumatic reel lift, some powered**
- 1 **Hall 16/36", set up in tension**
 - 3 Viteck 16/36" pneumatic reel lift, powered and drag style
 - 7 **Webster Machine 16/36", units are new, driven and drag style**
 - 1 Skaltek A12P20 gantry style for 48" diameter reels
 - 1 Webster Machine 30/60", unit is new, driven or drag style
 - 1 Davis Electric 60", portal style, set up for tension
 - 2 Davis Electric 72", fully rebuilt, driven and drag style
 - 1 Hall 72", 10 HP powered payoff
 - 2 Davis Standard 84", powered
 - 3 Davis Electric 96", drag style, can be motorized

Email: sales@Lloydbouvier.com www.Lloydbouvier.com

Bobbin Winders

- 4 Wardwell dual head bobbin winder
- 1 Amacoil Bobofil, up to 14" diameter spools, can be made dual station
- 2 TMW Heavy duty bobbin winders, 6" diameter spools, one with payoffs
- 3 Standard Mill Supply bobbin winders

Shaft Takeups

- 3 Davis Electric 16" traversing reel
- 4 Progressive dual spindle for 16" diameter reels
- 1 Vulcan 20" diameter reel, turret style machine
- 1 United States Machinery, dual reel with integral dancer, manual crossover
- 1 Progressive four head 24" diameter reel flat wire takeup
- 2 Maillefer 24" traversing reel with catenary arm dancer
- 3 Entwistle 24" takeups with thread mill traverse
- 1 Hall flat wire respooler with Clinton spark test and Zumbach recorder
- 1 Hall 20" dual station turret for packaging
- 1 NEWMCO 30" with integral pneumatic dancer
- 4 Davis Electric CRS Respoolers, 20" upper shaft, 30" and 36" reel lower shaft
- 1 NEWMCO 36" with 30 MM Uhing traverse
- 1 Custom 36" dual station with 40mm Uhing traverses
- 1 United States machinery 24/48" Roll in takeup
- 2 Reel O Matic 48" Rim Drive takeups
- 1 Custom 60" roll in takeup with 30 MM Uhing traverse

Shaftless Takeups

- 1 Rosendahl 24" shaftless with 30 MM Uhing and integral dancer --- New
 - 2 Davis Electric 16/36" some with 4 speeds
 - 3 Viteck 16/36" pneumatic reel lift, Uhing traverses
 - 1 Davis electric 48" diameter, 10 HP motor and 4 speed
- Hall 72" diameter, 10 HP motor and 4 speed

Entwistle 84" traversing reel with Fenner traverse control

- 1 Davis Electric 96" Roll through gantry takeup, electrics new in 2000
- 1 New England Butt 108" 30,000 # capacity

Remember --- all our Payoffs can be Rebuilt as Takeups

ACCREDITED APPRAISALS

Lloyd & Bouvier are members of

AMEA

This organization is recognized as



the benchmark by lending institutions

for providing equipment appraisals.

Dual Reel Take-ups

- 1 Davis Electric Q Spooler for 10" diameter reels
- 1 Maillefer 24" high speed shaftless take-up, updated electricals
- 3 Davis Standard HS-24 high-speed take-ups
- 2 Davis Standard DR-30 take-ups, some have integral dancers
- 5 Davis Electric DR-30 --- Reel Ejectors Available
- 1 Davis Electric TAP 30
- 1 Custom dual for 36" reels
- 3 Davis Standard DR-36 take-ups, one accepts 24" wide reel
- 1 Davis Standard DR-50

Corrugator / Tape Accumulators

1 Weber & Scher tape Corrugator, 13" wide rolls

- 2 Weber & Scher tape accumulator
- 1 United States Machinery tape accumulator

Accumulators / Dancers

- 1 Endex horizontal accumulator, 8" diameter sheaves 150' storage, New
- 1 Davis Electric horizontal accumulator, 24" diameter sheaves, 250' storage
- 25 Davis Electric, Viteck, Davis Standard Dancers, all sizes and capabilities

Preheaters

2 WST 215 series Preheaters

- 4 WST 300 series Preheaters
- 3 WST 900 series Preheaters

All machines can be offered
Fully Rebuilt with 1-year warranty

Stripers

- 2 United States Machinery Mini Stripers, model St-80
- 1 United States Machinery model St-200 single oven striper
- 1 United States machinery model St-200 double oven striper – third can be added

Quality Control

Clinton Model FL-111-B cable fault locator

Clinton Model HF-20 spark test units

- 1 Sensor Eddy Current weld detector
- 1 Zumbach USYS 1000 diameter controller
- 1 Beta LI8001C diameter controller

Scott Tensile Testers, 75 lb to 1,000 lb units

- 2 Hipotronics test units, model some with fan boards

Braiders

2 Wardwell 12 carrier braiders for wire or textile

150 Wardwell 16 carrier braiders, set up for wire or textile

Wardwell 16 carrier Speedmaster, set up for wire

Wardwell 24 carrier braiders set up for wire or textile

- 2 Wardwell 24 carrier rear delivery cable braiders

3 TMW 24 carrier horizontal braiders with 9” horn gears

- 1 TMW 36 carrier horizontal braiders with 9” horn gears
- 2 Karg 36 carrier Model VE with 4” through bore
- 1 TMW 48 carrier horizontal braider with 9” horn gears
- 1 TMW 64 carrier braider with 7” horn gears
- 5 Lloyd and Bouvier tapeheads for tape over braid or under braid

6 Miscellaneous

8 Wilson Model 106 Color meters, some rebuilt

- 3 Nelmor, Cumberland, and Foremost grinders, 5HP, 10 HP, and 15 HP

4 Killion 6” Gaday rolls

- 1 AFA flood station with heater, Model PH1060
- 5 Unidyne Desiccant Hopper dryers, 200 #, 400 #, and 600# units

1 Huestis cable jacket striper

- 6 Assorted curing ovens, vertical and horizontal models
- 7 Collapsible coiling heads, 16”, 24”, 30”, and 36” diameter

1 Wiedenbach Ink jet printer, Type TSSG105SR

- 2 Video Jet Model 9900 Ink jet printers
- 2 Matthews offset printers, model 6124, NEW
- 1 Canterbury adjustable center crosshead 1 ¼” X 1 ¾” --- NEW with flange

FULL SERVICE MACHINE SHOP AND FABRICATING SERVICES

- **New Water troughs, Mist boxes with air wipes ----- Flyer Cones all sizes
--- Tape Payoffs**
- **Braider shut off devices for accessories ----- Braider Tapeheads ----
Specialty projects**

We will Rebuild your equipment

**CNC Machine
Shop**

**Mig / Tig
Welding Shop**

**Sheet Metal
Guarding**

**Electrical
Controls
& Panels**

**48” Shaftless Planetary Cabler
Replacment Cradle**

