

Lloyd and Bouvier, Inc.

New and Used Wire and Cable Equipment Sales, Appraisals, Rebuilding Services

Phone: 978-365-5700

Fax: 978-365-9700

E-mail: sales@lloydbouvier.com

Web: www.lloydbouvier.com

CURRENT INVENTORY – October 1, 2009

===== P A Y O F F S =====

- | | |
|---|--|
| 4 - Dual Cone Flyer for 36" reels | 3 – Single Cone Flyer for 36" reel |
| 4 - Dual Cone Flyer for 30" reels | 3 – Single Cone Flyer for 30" reel |
| 7 - Dual Cone Flyer for 24" reels | 1 – Single Cone Flyer for 24" reel |
| 6 – Clipper style lift trucks for flyer cones | 2 – Clipper 3-wheel tensioners |
| 2 - Entwistle style lift trucks for flyer cones | 4 – Presto lift trucks for flyer cones |
| 2 - Streifel lift trucks for flyer cones | |

We provide complete dual cone flyer payoff systems, including manual or electric lift, driven or non-driven rings, light or heavy duty tensioners, for reels up to 5000#

- 6 – TEC 16" powered payoffs, Model 16DPP01-400-1A, dual shaft, built in dancers
- 5 - Lloyd & Bouvier 16" – 36" roll in drag style, new, 1-1/4" or 1-1/2" shaft
- 1 - Watson PS-3 25-position payoff, 2-1/4" shafts, powered, catenary arm tensioning
- 2 - NEWMCO 30" powered payoffs with catenary arm tensioning
- 4 - NE/CFL 24" dual reel powered payoff with built-in dual catenary arm dancers
- 4 - Streifel/Ephrata 24" dual reel powered payoff with built-in catenary arm dancers
- 4 - Watson Model PP4-TW dual shaftless powered payoffs for 20"x15" reels, 1-1/4" pintles. Two each line direction.
- 4 – Davis Electric 16/36" shaftless payoffs, drag style with catenary arm tensioning
- 1 – Lloyd & Bouvier 72" shaftless payoff, electric/hydraulic lifting of gate arms
- 1 – TEC dual powered payoff, 1.5" cantilevered shafts
- 1 - Davis Electric 96" shaftless payoff, Model POS96
- 1 - Entwistle 96" shaftless payoff, Model HL 9624
- 2 - Tulsa Power 24" shaftless powered payoffs, Model: HSPO-1, 10.5" wide reels, 5" arbor, built-in dancer with 8 over 7 sheaves, 10" root diameter, reel doffer, Mfg: 12/30/02. Marathon 1 HP Black Max motor, Allen Bradley drive, 460V, Knife disconnect, reel guard system
- 5 - Entwistle 36" shaftless payoffs, Model POS39-1.5, mag brake, dig tension controller
- 2 – Davis Standard 16/36" shafted payoffs, drag style with catenary arm tensioning
- 1 – Davis Electric 18" powered payoff, Model MPO-18, with foot pedal jog

===== TAKE - UPS =====

- 3 – Entwistle THE 24/36” dual reel take-ups
- 4 – Davis Standard 36” dual reel take-ups
- 6 – Davis Standard 30” dual reel take-ups
- 1 – Entwistle Spherex dual reel take-up, 16” reels, integrated dancer
- 1 - Davis Standard 36" dual reel high speed take-up, Model D8583
- 2 – Davis Standard 24" high speed dual reel take-up, Type: 12-24 X 16, Serial # F-8726
- 1 - Davis Standard 16" parallel axis take-up, Model SP-16
- 2 - Davis Electric 30" dual reel take-up, Model DR30, swing arm style
- 1 - Davis Electric TAP 30 parallel axis take-up, Model TAP-30LH
- 3 - Davis Electric dual shaft CRS respooler. Lower shaft accepts spools to 30" diameter, upper shaft accepts spools to 18" diameter. Common motor drives both shafts, one shaft removed when operating other shaft
- 4 – Davis Electric 16” traversing reel take-ups
- 1 – Nokia 24” traversing reel take-up
- 1 – Davis Electric 16” parallel axis take-up
- 1 - Kenrake 20" tabletop respooler, Model RSD-P101, Amacoil traverse, no counter
- 1 - Newmco respooler, Model 6-30, Olympic 2-wheel counter, Apcor traverse
- 2 - Kenrake respoolers, 30" payoff , 24" take-up, L to R, counter
- 1 - Syncro wire drawing down coiler, 18” capstan, dancer, guard, updated by Endex, s/n LA477-1-OCS, includes assembly drawings and electrical prints from Endex
- 1 – Davis Electric 60” shaftless take-up, Model TURA 60, manual pintles, electric gate
- 1 - NE/CFL 60” shaftless gantry style take-up, 10 HP DC motor/drive, 4-speed
- 1 – Davis Electric barrel packer
- 1 – Coulter McKenzie barrel packer

===== CAPSTANS =====

- 4 – Viteck 12" belt-wrap tension capstans, Model # TC-12-LS, Baldor 1HP motors
- 1 – Royle 48” horizontal belt wrap capstan, rebuilt by Lloyd & Bouvier
- 1 – Royle 48” vertical belt wrap capstan
- 2 – Viteck 24” vertical belt wrap capstans
- 1 - Royle 24" belt wrap capstan, 42" input height, 20" output height
- 1 - Davis Electric 12" belt wrap capstan. 42" entrance height, 31" exit height
- 1 - Entwistle Model BFW-12SP belt wrap capstan, 12" diameter flat pulley
- 1 - Royle 36" belt wrap capstan, 34" root diameter, R-L line direction 42"
- 1 - Davis Standard 36" beltwrap capstan, Model: F1595
- 1 – Davis Electric 24" belt wrap capstan, Model BWC24, S/N 0524, L to R
- 1 - Royle 38" OD x 34" root belt wrap capstan, L to R, 19" line in - 51" line out, 4-speed
- 1 - Royle 38"OD x 32" root belt wrap capstan, L to R, 41" line in, 74" exit, 4-speed
- 1 - Davis Standard 24" belt wrap capstan, 27" OD, 42" in, 75" exit, 4-speed
- 1 - Viteck 24" belt-wrap capstan, Model: CBW-24, Reliance 5HP motor
- 1 - TEC 27" vertical belt wrap metering capstan, Model 24GTC1-400-1, 39" in, 87" exit
- 1 - Viteck 24" belt wrap capstan, Model CBW-24, 4-speed, 42" wire line height
- 1 - Gatto 28" x 5.5" catapuller capstan, Drive-All DAU 500 4-speed
- 1 - Tulsa Cat Trac, Model 0021SP, no base, excellent condition

Lloyd & Bouvier, Inc. – Current Inventory October 1, 2009 (cont.)

- 1 - Entwistle 48" cleat style catapuller, R to L, Model DVA48, 4-speed, set for 225 fpm
- 1 - Ferro Technique 44" catapuller, 4" wide belt, L to R, 42.5" w/l ht, 5HP, 230/460V
- 1 - Farris 24" catapuller, Model C000VT
- 1 - Farris 22" catapuller, Model C550VT, Durant counter, 4-speed, 1 HP Baldor motor
- 1 - Maillefer 30" catapuller, Model UA-2, line height is 42", L to R, belt is 4.5" wide
- 1 - Davis Standard 30" catapuller, Model A8904 pipe haul off, unit is on casters
- 2 – MGS 50" catapuller, Model LC50.4, 2.75" wide belt, R to L, Burton 7.5HP motors
- 1 – Davis Standard 60" cleat style catapuller
- 1 - Davis Merritt 52" catapuller, L to R, Model 52" Cat Track, 2007
- 1 – FINE 48" catapuller, L to R, Model LC48, 4-speed, 2006

===== **C A B L E R S** =====

- 1 - EdmandsCo 36" dbl twist cabler. Model: 36DT Closer, s/n LR14179, L to R
- 1 - Webster Machine Products 24" dbl twist cabler, 10 HP flyer motor, 2 HP take-up motor, Uhing traverse, vintage 1998, digital lay control, 2400 twists per minute
- 2 - Ceeco HS twinner, control panel (1624-3A), Baldor 10 HP Motor
- 1 - Eastern 20" dbl twist cabler, bow rpm 0-1200, 2400 twists per minute, internal capstan w/change gear lay control, Uhing traverse, torque motor take-up
- 1 - Eastern 24" dbl twist cabler, bow rpm 0-1200 rpm, 2400 twists per minute, capstan change gears for lay control, Uhing traverse, torque motor take-up
- 1 - EdmandsCo 2 + 1 30" Bow Twister, complete with 12" concentric tape head, filler head, Clinton Model HF20E sparker w/bead box; dual wheel capstan, 10 HP motor, 4-speed, change gear lay control
- 2 – TEC 24" single twist cablers, Model 24STC3-400-1, 1300 rpm, two l to R, one R to L
- 5 - Cook Model BH-24 single twist bunchers
- 1 - Cook Model BH-36 single twist buncher, L to R
- 2 - Cook BH-12 single twist buncher
- 3 - Cook BH-16 single twist bunchers
- 2 - Cook BH-22 single twist bunchers
- 1 – Watson 6+12+18 rigid cabler, 24" reels 5" arbor
- 2 - Ceeco 36" rotating cablers, reel size 36" x 22" OAW, 3" arbor, 40mm Uhing traverses. New, never used, need electricals
- 1 - Morrison 36" single twist cabler w/control panel, 5" arbor
- 1 - Watson 36" rotating cradle cabler, Model RT36, s/n W8351, accepts 36"x 21" reel, control panel, 360 degree guarding, metering stand, layplate, concentric taper
- 20 - MGS 6-bay tubular stranders, 6.5" spools, both L to R and R to L available
- 20 - Bartell 6-bay tubular strander, 6.5" spools, both L to R and R to L available

===== **E X T R U D E R S** =====

- 2 - Thermoplastic 1 1/4" 20:1 extruders, 10HP Fincor motor and drive
- 1 - C.W. Brabender 3/4" 22:1 extruder ,Type 2003, Serial # 736, 3 heat zones, Plasticoder 3/4HP, 230V, 1PH motor, Plastograph 3/4"HP, 220V motor.

Lloyd & Bouvier, Inc. – Current Inventory October 1, 2008 (cont.)

- 2 - Davis Standard 2.5" vertical extruders, Model 250VP20, 3 barrel zones. Reliance 40HP, 500V motor. No drives & no control panel
- 1 - Davis Standard extruder, 4.5" 20:1, Model 45T, Serial E1931, 4 barrel zones, clamp, swing gate, screw, hopper
- 1 - Welex 2", 24:1, 5 zone extruder, Serial # 187978, hopper, AEC 9900 hopper loader, dump shoot and shut off valve, inline extrusion head with swing clamp and Gentran pressure gauge, 25HP DC motor. Machine is completely self-contained.
- 1 - Davis Standard 3" 30:1 MARK V Extruder, Model MV-30IN25H, Serial X8040 S.O. 63510, MFG: 12/98, Marathon 40HP 460V motor, 4-barrel zones, clamp, swing gate, Allen Bradley drive, Eurotherm temperature controllers
- 1 - Davis Standard 2.5" 24:1 extruder with control panel, Model 250SII, Serial F-8801, 5 barrel zones, Reliance 40HP motor
- 1 - Genca 3.5" 24:1 extruder with control panel, Reliance drives, Reliance 100HP, 500V DC motor. Machine has head clamp, swing gate & Novato mixer.
- 1 - Davis Standard 2" 24:1 extruder, Model 20in20, Serial # H-4777, Mfg 7/80, Power TEC brushless 25HP DC motor, 4 barrel zones
- 1 - Davis Standard 2" 30:1 Thematic High-temp extruder. Model 20IN20, Serial U5097, 5 barrel zones, swing gate, split clamp, GE 40HP DC motor, control panel with touch screen display, main electrical panel with Siemens drives
- 1 - Davis Standard 3.5", 24:1, 5 barrel zones, swing gate, Model 350sII, Serial F-7158
- 1 – Entwistle 1.5" 24:1 extruder, 7.5HP DC motor w/blower, screw

== TAPE HEADS / STRIPERS / REWINDERS ==

Many Variations in Stock - Please Call for Specifics

===== MISCELLANEOUS =====

- 1 - Zumbach USYS preheater, 16" sheaves, Model: Tempmaster 417FL6020, s/n 417T6021B 9880-9A, 100-4000 fpm, 60kVA, 15A, 480/1/60
- 1 - Gas preheater, adjustable stand, two 15" heating elements
- 1 - Zumbach 600 series preheater, R to L, 2000fpm, 360 degree F, 460V, 40amp
- 2 – WST Series 300 preheaters, one on casters
- 1 - WST Series 900 fine wire preheater, Model #904239.2, Serial #15516, preheat station, 500 fpm, 300 F, 4 KVA, input 120/1/6K, 30 amp, output 23/1/6K, top sheaves 6" OD
- 2 – Rebuilt WST Series 230 preheaters, new Roots-Tech electronics, new sheaves, 10 – 24 awg copper wire
- 2 – Strecker KG welders, Type S100 and Type SE130
- 2 - Whitlock dryers, WD-30, 1 – 200# hopper, 1 – 300# hopper, 2 vacuum loaders
- 1 – Novatec CDM-400 dryer w/blower

We are exclusive sellers of the Roots-Tech brand induction preheaters, through a joint venture between Myron Waldman of QC Solutions, Inc. and Lloyd & Bouvier, Inc. The Roots-Tech technology is also available in our rebuilds of WST and Walco preheaters.

- 1 – Una-Dyn DHD-4 hopper dryer w/ConAir vacuum loader
- 1 – Una-Dyn DHD-2 hopper dryer, 200# hopper
- 2 – Viteck accumulators, HDV-720-4X4, 17’ tall, aprx 500’ accumulation, 12” sheaves
- 2 – Viteck accumulators, TDV-290-4, 17’ tall, aprx 300’ accumulation, 16” sheaves
- 2 – Viteck accumulators, HDV-500-4, 17’ tall, aprx 500’ accumulation, 12” sheaves
- 1 – Nextrom horizontal accumulator, 1000’ accumulation, 3 x 16’ sections bolt together, twenty 30” root diameter sheaves, ceiling hangers, mezzanine section w/stairs – New, never installed
- 3 – MGS/Hall 10’ vertical dancers, Model 4F15, 4 over 5 plus entrance and exit sheaves, 13” root diameter
- 2 – AT&T 8-position binders, 10 x 10 package, 5 HP DC motor, on casters, like new
- 1 – 12-position binder, 10 x 10 package, 5 HP DC motor, electric tension each position

===== **B R A I D E R S** =====

Wardwell Head Swap – Trade in your Model G or H 16 carrier head for a fully rebuilt, full warranty unit. All rebuilt braider heads carry a full 90-day warranty.

Wardwell 16 and 24 carrier braiders fully rebuilt. Individually motor driven with starter and push buttons, new upper carriers, driver bars, ratchets, pawls, driver clutch pulley and cone. All wire contact surfaces highly polished. 90-day warranty. Call for details.

We specialize in selling rebuilt machines set up for your special products, such as:

- **Braid with .001 single end or flat wire**
- **Incorporate taping and/or planetary cabling into braider**
- **Special fine wire applications, such as fine wire braid, special payoff and take-up tensioning, pick per inch to 120, etc.**

WE HAVE IN STOCK FOR IMMEDIATE DELIVERY

- 1 - Wardwell 16 carrier Speedmaster on 36” frame, Rebuilt
- 2 - Wardwell 16 carrier Rapid braider on 30” frame, Good Running Condition
- 1 - Wardwell 16 carrier Rapid braider on 24” frame, Rebuilt - with options
- 8 – Wardwell 16 carrier Rapid braiders, set up for wire, 36” frames, need disconnects
- 2 – Wardwell two-head bobbin winders 2 – Meteor two-head bobbin winders
- 2 – Wardwell three-head bobbin winders

250 Wardwell 16 and 24 Carrier Braiders Available

We Carry the Largest Inventory of Good Used Braider Parts Around. Call us first!

State-of-the-Art Electronics and Machine Shop Facilities
Lloyd & Bouvier customers get the latest and most
innovative designs & solutions for virtually every situation

Lloyd and Bouvier, Inc.

New and Used Wire and Cable Equipment
Sales, Appraisals, Rebuilding Services



Lloyd & Bouvier's Facility located in Clinton, Massachusetts

Have surplus equipment in your facility? Give us a call.

The one stop source for all your wire and cable equipment needs, from
single items to complete lines for extrusion, cabling, taping, spooling.

Lloyd & Bouvier, Inc. 56 Sterling Street Clinton MA 01510

Carter Lloyd

Brian Bouvier

Mike McKee

Eli Lloyd

Phone: 978-365-5700

Fax: 978-365-9700

E-mail: sales@lloydbouvier.com

Web: www.lloydbouvier.com